

बीरबल साहनी पुराविज्ञान संस्थान, लखनऊ
BIRBAL SAHNI INSTITUTE OF PALAEOSCIENCES, LUCKNOW

टेलीग्राम पेलियोबॉटनी

दूरभाष 2740008,2742983

फैक्स ९१-91-522-2740485,2740098

बी सा पु सं /III/भंडार एवं क्रय/ C-1854

53, विश्व विद्यालय मार्ग

लखनऊ - 226007

Date: 25.02.2021

संयोजक वेबसाइट समिति,

बी सा पु सं, लखनऊ


Consumables for RT-PCR based COVID-19 diagnosis (Details as attached)
Subject: -----

Dear Sirs,

This Institute intend to repair / services items mentioned above. Sealed quotations are invited so as to reach this office on or before 5:00 P.M. on 10.03.2021 duly superscribed by **"RT-PCR based COVID-19 diagnosis"** .

While submitting quotation please note that:

1. The material may either of indigenous manufacturer or of foreign make, available from ready stock. Any offer to supply on forward Delivery Basis under suppliers own quota license will also be considered.
2. The price quoted should be F.O.R. Destination.
3. Your rates should include packing, insurance and forwarding charges.
4. The rates of Sales Tax should be clearly indicated wherever chargeable. The tendered should also indicate Central/Sales Tax Registration Number and date in this quotation.
5. Specific mention should be made whether the offer is for supplies available ex-stock. In case the officer is on Forward Delivery basis, firm delivery period must be indicated.
6. The cover should be sealed and superscribed "Quotation for **"RT-PCR based COVID-19 diagnosis"** must be written on envelope. The quotations not complying the procedure will be rejected.
7. Payments will be made by crossed cheque/online through Indian Overseas Bank, Lucknow only after receipt and acceptance of supply and installation/ if required satisfactory.
8. The acceptance of the quotation will rest with the Director who does not bind himself to accept the lowest quotation and reserves the right to himself to reject or partially accept any or all the quotation received without assigning any reasons.
9. The quotations are liable to be cancelled if any of the above mentioned conditions are not complied with.
10. The quantity may be increase or decrease at the time of purchase.


(Sandeep Kumar Shivhare)
Registrar

Annexure 01

COVID-19 Laboratory Requirement

S.No.	Material Required	Consumption per day	Requirement for 60 days
1	Low retention, Low bind safe lock 2 ml centrifuge tubes	400	48000
2	Low retention, Low bind safe lock 1.5 ml centrifuge tubes	800	48000
3	Low retention , aerosol barrier 1000 ul dual filter tips	800	48000
4	Low retention, aerosol barrier 20-200 ul dual filter tips	2000	120000
5	Low retention aerosol barrier 0.2-10 ul dual filter tips	800	48000
6	Micropipette set of 4 different sizes pipettes preferably from eppendorf or Gilson		4 sets
7	Cool Rack to hold 12 x 1.5 or 2.0ml microcentrifuge tubes and 6 rows of PCR strip tubes		10
8	Kim wipes	5 Box	300 packs
9	Sterile Tissue rolls/towels		120 rolls
10	0.1ml full skirt 96 wells PCR plate	4 plates	240 plates
11	0.2ml 96 wells PCR plate	4 plates	240 plates
12	Optical Adhesive Films for Rt-PCR	8	480
13	Low retention PCR strip with caps	4	240
14	Cover all full body protection suit, category III, 60 GSM, Full brathable prferably from VWR/ Dupont/KIMBERLY CLARCK	600/month	1200
15	Sterile Nitrile Gloves small size		60 packs
16	Sterile Nitrile Gloves Medium size		80 packs
17	Sterile Nitrile Gloves Large size		40 packs
18	NIOS certified N 95 mask preferably from Venus or 3M	500/month	1000
19	DEPC treated MB grade MQ water	1 Litre	60 Litre
20	MB grade absolute alcohol	2 Litre	120 Litres
21	Foil, thickness 0.25 mm, 99.999% trace metals basis for molecular biology lab		30 Rolls
22	High centrifuge capacity (12000rpm) Folcon tubes (15 ml)	15	900
23	High centrifuge capacity (12000rpm) Folcon tubes (50 ml)	15	900
24	Protective absorbent paper for protection, absorption and wiping		30 rolls
25	Non-corosive, UV light resistant 50 ml conical tube racks		10
26	Disposable biohazard bags		500
27	Disposable biohazard bag stands		10